

## Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 8

# LOCTITE SI 595 SUPERFLEX CL known as 595 Superflex Clr 12x40ml EN/DE

SDS No. : 162662 V003.4 Revision: 22.05.2015 printing date: 05.04.2016 Replaces version from: 21.10.2013

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

LOCTITE SI 595 SUPERFLEX CL known as 595 Superflex Clr 12x40ml EN/DE

- **1.2. Relevant identified uses of the substance or mixture and uses advised against** Intended use: Silicone sealant
- **1.3. Details of the supplier of the safety data sheet** Henkel Ltd Wood Lane End HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 1442 278000 Fax-no.: +44 1442 278071

ua-productsafety.uk@uk.henkel.com

#### **1.4. Emergency telephone number**

24 Hours Emergency Tel: +44 (0)1442 278497

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

#### 2.2. Label elements

#### Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

## 2.3. Other hazards

None if used properly.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

General chemical description: Acetoxy curing silicone

#### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Contains no dangerous substances exceeding the limits of the EU-Regulation

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

Skin contact: Rinse with running water and soap. Obtain medical attention if irritation persists.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion: Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

## **4.2. Most important symptoms and effects, both acute and delayed** Prolonged or repeated contact may cause skin irritation.

Prolonged or repeated contact may cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

#### **SECTION 5: Firefighting measures**

**5.1. Extinguishing media Suitable extinguishing media:** Carbon dioxide, foam, powder Fine water spray

**Extinguishing media which must not be used for safety reasons:** None known

**5.2. Special hazards arising from the substance or mixture** carbon oxides. Silica fume Formaldehyde

**5.3. Advice for firefighters** Wear self-contained breathing apparatus.

## Additional information:

In case of fire, keep containers cool with water spray.

#### **SECTION 6: Accidental release measures**

## **6.1. Personal precautions, protective equipment and emergency procedures** Avoid contact with skin and eyes.

Ensure adequate ventilation.

#### 6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and material for containment and cleaning up

Scrape up as much material as possible. Store in a partly filled, closed container until disposal.

#### 6.4. Reference to other sections

See advice in section 8

V003.4

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Use only in well-ventilated areas. Vapours should be extracted to avoid inhalation. See advice in section 8

#### Hygiene measures:

Good industrial hygiene practices should be observed. Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated place. Never allow product to get in contact with water during storage

7.3. Specific end use(s)

Silicone sealant

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational Exposure Limits**

Valid for

Great Britain

Ingredient [Regulated substance]	ррт	mg/m <sup>3</sup>		Short term exposure limit category / Remarks	Regulatory list
Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS, INHALABLE DUST]		6	Time Weighted Average (TWA):		EH40 WEL
Silicon dioxide 112945-52-5 [SILICA, AMORPHOUS, RESPIRABLE DUST]		2,4	Time Weighted Average (TWA):		EH40 WEL

**Biological Exposure Indices:** None

#### 8.2. Exposure controls:

Engineering controls: Ensure good ventilation/extraction.

Respiratory protection: Ensure adequate ventilation. An approved mask or respirator fitted with an organic vapour cartridge should be worn if the product is used in a poorly ventilated area Filter type: A

Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

#### **SECTION 9: Physical and chemical properties**

Not applicable

Not determined > 100 °C (> 212 °F)

Not determined

1,02 g/cm3

Insoluble

No data available / Not applicable

No data available / Not applicable No data available / Not applicable

No data available / Not applicable

No data available / Not applicable

Polymerises in presence of water.

No data available / Not applicable No data available / Not applicable

No data available / Not applicable

No data available / Not applicable No data available / Not applicable

No data available / Not applicable

No data available / Not applicable

No data available / Not applicable

No data available / Not applicable

#### 9.1. Information on basic physical and chemical properties

Appearance	paste
	colourless
Odor	Acetic acid
Odour threshold	No data available / Not applicable

pН Initial boiling point Flash point Decomposition temperature Vapour pressure Density () Bulk density Viscosity Viscosity (kinematic) Explosive properties Solubility (qualitative) Solubility (qualitative) (Solvent: Acetone) Solidification temperature Melting point Flammability Auto-ignition temperature Explosive limits Partition coefficient: n-octanol/water Evaporation rate Vapor density Oxidising properties

#### 9.2. Other information

No data available / Not applicable

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Strong oxidizing agents. Polymerises in presence of water.

**10.2. Chemical stability** Stable under recommended storage conditions.

#### **10.3.** Possibility of hazardous reactions

See section reactivity

#### **10.4.** Conditions to avoid

Stable under normal conditions of storage and use.

#### **10.5. Incompatible materials**

See section reactivity

#### 10.6. Hazardous decomposition products

Acetic acid is liberated slowly upon contact with moisture. At higher temperatures (>150C) may release formaldehyde (traces).

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### Oral toxicity:

This material is considered to have low toxicity if swallowed.

#### Inhalative toxicity:

Acetic acid is liberated slowly upon contact with moisture. Inhalation of vapors in high concentration may cause irritation of respiratory system

#### Skin irritation:

Prolonged or repeated contact may cause skin irritation.

#### Eye irritation:

Prolonged or repeated contact may cause eye irritation.

#### **SECTION 12: Ecological information**

#### General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### 12.1. Toxicity

#### **Ecotoxicity:** Do not empty into drains / surface water / ground water.

#### 12.2. Persistence and degradability

#### Persistence and Biodegradability:

The product is not biodegradable.

#### 12.3. Bioaccumulative potential / 12.4. Mobility in soil

**Mobility:** Cured adhesives are immobile.

## Bioaccumulative potential:

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product disposal: Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

#### Waste code

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

## **SECTION 14: Transport information**

14.1.	UN number			
	ADR	Not dangerous goods		
	RID	Not dangerous goods		
	ADN	Not dangerous goods		
	IMDG	Not dangerous goods		
	IATA	Not dangerous goods		
14.2.	UN proper shipping name			
	ADR	Not dangerous goods		
	RID	Not dangerous goods		
	ADN	Not dangerous goods		
	IMDG	Not dangerous goods		
	IATA	Not dangerous goods		
14.3.	Transport hazard class(es)			
	ADR	Not dangerous goods		
	RID	Not dangerous goods		
	ADN	Not dangerous goods		
	IMDG	Not dangerous goods		
	IATA	Not dangerous goods		
14.4.	Packaging group			
	ADR	Not demography goods		
		Not dangerous goods		
	RID ADN	Not dangerous goods Not dangerous goods		
	IMDG	Not dangerous goods		
	IATA	Not dangerous goods		
14.5.	Environmental hazards			
	ADR	not applicable		
	RID	not applicable		
	ADN	not applicable		
	IMDG	not applicable		
	IATA	not applicable		
14.6.	Special precau	Special precautions for user		
	ADR	not applicable		
	RID	not applicable		
	ADN	not applicable		
	IMDG	not applicable		
	IATA	not applicable		
14.7.	Transport in b	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
	not applicable			

## **SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - VOC content (1999/13/EC)

< 5 %

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

#### Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

#### Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.