Version 3.1

Revision Date 10.02.2016

Print Date 11.02.2016

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	Advance 4T AX7 10W-40 (SL/MA2)
Product code	:	001D8582

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Engine oil.
Uses advised against	:	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier Telephone Telefax	<ul> <li>Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom</li> <li>(+44) 08007318888</li> </ul>
Email Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

# 1.4 Emergency telephone number

: +44-(0) 151-350-4595

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbo	I required
Signal word	:	No signal word	
Hazard statements	:		PHYSICAL HAZARDS: Not classified as a physical hazard

Version 3.1	Revision Date	9 10.02.2016	Print Date 11.02.2016
		according to CLP criteria HEALTH HAZARDS: Not classified as a healt criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria	th hazard under CLP ZARDS: nmental hazard
	: Prevention:	No precautionary phras	es.
	Response:	No precautionary phras	es.
	Storage:	No precautionary phras	es.
	Disposal:	No precautionary phras	es.

#### 2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

: \* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

## Hazardous components

Chemica	Iname	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Polyolefir Alkenear	n Amide nine Polyol		Aquatic Chronic4; H413	1 - 3

# SAFETY DATA SHEET Regulation 1907/2006/EC Advance 4T AX7 10W-40 (SL/MA2)

rsion 3.1	Revision Date 10.02.2016		Print Date 11.02.20
Alkaryl amine	Aquatic Chronic4; H413	1 - 3	
Polyolefin amide alkeneamine borate	Aquatic Chronic4; H413	1 - 3	
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Asp. Tox.1; H304	0 - 90	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

	-	-
General advice	:	Not expected to be a health hazard when used under normal conditions.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate n	neo	dical attention and special treatment needed
Treatment	:	Notes to doctor/physician: Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon

Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016
media	dioxide, sand or earth may be used for sma Do not use water in a jet.	Il fires only.
5.2 Special hazards arising from the	e substance or mixture	
Specific hazards during : firefighting	Hazardous combustion products may includ mixture of airborne solid and liquid particula (smoke). Carbon monoxide may be evolved combustion occurs. Unidentified organic an compounds.	ates and gases I if incomplete
5.3 Advice for firefighters		
Special protective equipment : for firefighters	Proper protective equipment including chen gloves are to be worn; chemical resistant su large contact with spilled product is expected Breathing Apparatus must be worn when an a confined space. Select fire fighter's clothin relevant Standards (e.g. Europe: EN469).	uit is indicated if ed. Self-Contained oproaching a fire in
Specific extinguishing : methods	Use extinguishing measures that are appro circumstances and the surrounding environ	

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

#### 6.2 Environmental precautions

Environmental precautions : Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	<ul> <li>Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.</li> </ul>

Version 3.1

Revision Date 10.02.2016

Print Date 11.02.2016

## 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storag	e
General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer :	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
	Store at ambient temperature.
	Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
	The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.
Packaging material :	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice :	Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.
7.3 Specific end use(s)	
Specific use(s) :	Not applicable.
5 / 18	800001006009 GB

Version 3.1

Revision Date 10.02.2016

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

#### 8.2 Exposure controls

Engineering measures The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g.

Version 3.1

Revision Date 10.02.2016

Print Date 11.02.2016

personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping. Personal protective equipment The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. Eye protection : If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166. Hand protection Remarks Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Skin and body protection · Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.

sion 3.1	Revision Date 10.02.20	16 Print Date 11.02.201
Respiratory protection	conditions of use. In accordance with good precautions should be ta If engineering controls de concentrations to a level health, select respiratory specific conditions of use Check with respiratory p Where air-filtering respirat appropriate combination Select a filter suitable for	which is adequate to protect worker protection equipment suitable for the e and meeting relevant legislation. rotective equipment suppliers. ators are suitable, select an of mask and filter. r combined particulate/organic gases pe P boiling point > 65°C (149°F)]
Thermal hazards	: Not applicable	
Hygiene measures	reasonably practicable.	should be reduced as low as Reference should be made to the utive's publication "COSHH
Environmental exposure c	ntrols	
General advice	relevant environmental p contamination of the env Chapter 6. If necessary, being discharged to was treated in a municipal or before discharge to surfa Local guidelines on emis	ares to fulfill the requirements of protection legislation. Avoid vironment by following advice given in , prevent undissolved material from te water. Waste water should be industrial waste water treatment plant ace water. ssion limits for volatile substances e discharge of exhaust air containing

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.	
Colour	: amber	
Odour	: Slight hydrocarbon	
Odour Threshold	: Data not available	
рН	: Not applicable	
pour point	: -36 °CMethod: ISO 3016	

SAFETY DATA SHEET

# Regulation 1907/2006/EC Advance 4T AX7 10W-40 (SL/MA2)

sion 3.1	Revision Date 10.02.2016	Print Date 11.02.20
Initial boiling point and boiling range	: > 280 °Cestimated value(s)	
Flash point	: 230 °C Method: ISO 2592	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.858 (15 °C)	
Density	: 858 kg/m3 (15.0 °C) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on	similar products)
Auto-ignition temperature	: > 320 °C	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 98.6 mm2/s (40.0 °C) Method: ASTM D445	
	15.8 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	: Not classified	

Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016		
9.2 Other information				
Conductivity	: This material is not expected to be a	a static accumulator.		

: This material is not expected to be a static accumulator.

Decomposition temperature : Data not available

# **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

## **10.2 Chemical stability**

#### Stable.

No hazardous reaction is expected when handled and stored according to provisions

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.
10.4 Conditions to avoid	
Conditions to avoid	: Extremes of temperature and direct sunlight.
10.5 Incompatible materials	

Materials to avoid	: Strong oxidising agents.
--------------------	----------------------------

#### **10.6 Hazardous decomposition products**

Hazardous decomposition	:	Hazardous decomposition products are not expected to form
products		during normal storage.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

	Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
	Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Αсι	ute toxicity		
	Product:		
	Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:

Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016
Acute inhalation toxicity	: Remarks: Not considered to be an ir normal conditions of use.	nhalation hazard under
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxi	city:

#### Skin corrosion/irritation

#### Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Expected to be slightly irritating.

#### Respiratory or skin sensitisation

#### Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

#### Germ cell mutagenicity

#### Product:

: Remarks: Not considered a mutagenic hazard.

#### Carcinogenicity

#### Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### **Reproductive toxicity**

#### Product:

11 / 18

Version 3.1

Revision Date 10.02.2016

Print Date 11.02.2016

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

#### STOT - single exposure

#### Product:

Remarks: Not expected to be a hazard.

#### STOT - repeated exposure

#### Product:

Remarks: Not expected to be a hazard.

#### Aspiration toxicity

#### Product:

Not considered an aspiration hazard.

#### Further information

## Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

#### Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

Version 3.1

Revision Date 10.02.2016

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Basis for assessment Product:	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
		Demarka: Expected to be practically per taxia:
Toxicity to fish (Acute toxicity)	•	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean	:	Remarks: Data not available
(Chronic toxicity)		
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available
(/ 10010 10/10113)		

## 12.2 Persistence and degradability

# Product:

Biodegradability	: Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment.
12.3 Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: Pow: > 6Remarks: (based on information on similar products)

# 12.4 Mobility in soil

Advance 4T AX7 10W-40 (SL/MA2)
--------------------------------

Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016		
Product:				
Mobility	•			
12.5 Results of PBT and vPvB a	assessment			
Product:				
Assessment	: This mixture does not contain any RE substances that are assessed to be a			
12.6 Other adverse effects				
Product:				
Additional ecological information	<ul> <li>Product is a mixture of non-volatile conservence of the released to air in any servected to have ozone depletion photochemical ozone creation potential potential.</li> <li>Poorly soluble mixture., May cause phorganisms.</li> <li>Mineral oil is not expected to cause an aquatic organisms at concentrations lease of the servector of the servect</li></ul>	significant quantities., potential, al or global warming hysical fouling of aquatic ny chronic effects to		

# SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
		Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.
Contaminated packaging	:	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Waste catalogue	:	EU Waste Disposal Code (EWC):
Waste Code	:	13 02 05*
Remarks	:	Classification of waste is always the responsibility of the end
14 / 19		800001006

Version 3.1

Revision Date 10.02.2016

Print Date 11.02.2016

user.

## **SECTION 14: Transport information**

14.1 UN number	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.4 Packing group	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
14.6 Special precautions for user	
Remarks	Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or
14.7 Transport in bulk according to	needs to comply with in connection with transport.

Additional Information	: MARPOL Annex 1 rules apply for bulk shipments by sea.
Special precautions	: Not applicable
Product name	: Not applicable
Ship type	: Not applicable
Pollution category	: Not applicable
-	•

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation : Product is not subject to

# SAFETY DATA SHEET Regulation 1907/2006/EC Advance 4T AX7 10W-40 (SL/MA2)

Advalle + 1 AA7  1000-40  (SE/MA2)			
Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016	
(Annex XIV)	Authorisa	tion under REACH.	
Volatile organic compounds	: 0 %		
Other regulations	<ul> <li>Environmental Protection Act 1990 (a Safety at Work etc. Act 1974. Consur Pollution Prevention and Control Act 1995. Factories Act 1961. The Carria and Use of Transportable Pressure E Regulations 2011. Chemicals (Hazar Packaging for Supply) Regulations 2 Substances Hazardous to Health Re amended). Merchant Shipping (Dang Pollutants) Regulations 1997. Report and Dangerous Occurrences Regula Personal Protective Equipment Regu Protective Equipment at Work Regulat Control of Major Accident Hazards R amended). Renewable Transport Fue (as amended). Energy Act 2011. Env (England and Wales) Regulations 20 (England and Wales) Regulations 20 Planning (Hazardous Substances) Ar regulations. The Environmental Protector Ozone-Depleting Substances) Regulations</li> </ul>	mers Protection Act 1987. 1999. Environment Act age of Dangerous Goods Equipment (Amendment) rd Information and 009. Control of gulations 2002 (as gerous Goods and Marine ting of Injuries, Diseases tions 1995 (as amended). ulations 2002. Personal ations 1992. Hazardous ions 2005(as amended). egulations 1999 (as el Obligations Order 2007 vironmental Permitting 10 (as amended). Waste 11 (as amended). ct 1990 and associated ection (Controls on	

The components of this product are reported in the following inventories:
---

EINECS/ELINCS/EC	:	All components listed or polymer exempt.
TSCA	:	All components listed.

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: Other information**

Full text of H-State	ments	
H304	May be fatal if swallowed and enters airways.	
H413	May cause long lasting harmful effects to aquatic life.	
Full text of other at	obreviations	
Aquatic Chronic	Chronic aquatic toxicity	
Asp. Tox.	Aspiration hazard	
		_
i / 18		800001006009

GB

# Regulation 1907/2006/EC Advance 4T AX7 10W-40 (SL/MA2)

/ersion 3.1	Revision Date 10.02.2016	Print Date 11.02.2016
Abbreviations and Acronyms	: The standard abbreviations and acro document can be looked up in refere scientific dictionaries) and/or website	ence literature (e.g.
	ACGIH = American Conference of G Hygienists ADR = European Agreement concer	
	Carriage of Dangerous Goods by Ro AICS = Australian Inventory of Chen ASTM = American Society for Testir	oad nical Substances
	BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbe CAS = Chemical Abstracts Service	nzene, Xylenes
	CEFIC = European Chemical Indust CLP = Classification Packaging and COC = Cleveland Open-Cup	
	DIN = Deutsches Institut fur Normun DMEL = Derived Minimal Effect Leve DNEL = Derived No Effect Level	
	DSL = Canada Domestic Substance EC = European Commission EC50 = Effective Concentration fifty	List
	ECETOC = European Center on Eco Toxicology Of Chemicals ECHA = European Chemicals Agend	
	EINECS = The European Inventory Chemical Substances EL50 = Effective Loading fifty	
	ENCS = Japanese Existing and New Inventory EWC = European Waste Code	v Chemical Substances
	GHS = Globally Harmonised System Labelling of Chemicals IARC = International Agency for Res	
	IATA = International Air Transport A IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty	
	IMDG = International Maritime Dang INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test	
	determination of polycyclic aromatics KECI = Korea Existing Chemicals In LC50 = Lethal Concentration fifty	s DMSO-extractables
	LD50 = Lethal Concentration my LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective I LL50 = Lethal Loading fifty	Loading/Inhibitory loading
	MARPOL = International Conventior Pollution From Ships	
	NOEC/NOEL = No Observed Effect Observed Effect Level OE_HPV = Occupational Exposure -	- High Production Volume
	PBT = Persistent, Bioaccumulative a PICCS = Philippine Inventory of Che	

Version 3.1	Revision Date 10.02.2016	Print Date 11.02.2016
	Substances PNEC = Predicted No Effect Concentration REACH = Registration Evaluation And Authorisation Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control Act TWA = Time-Weighted Average vPvB = very Persistent and very Bioaccumulative	
Further information		
Other information	: No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.	
	A vertical bar ( ) in the left margin indicates an amendment from the previous version.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.