Revision Date 01.04.2015

Print Date 14.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Transmission Oil MA 75W-90
Product code	:	901L3454

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Transmission oil.
Uses advised against	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 : (+44) 08007318888 : : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Dangerous for the environment

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Version 2.1	Revision Date	01.04.2015	Print Date 14.04.2015
Hazard pictograms	: No Hazard Sym	bol required	
Signal word	: No signal word		
Hazard statements	: H412	PHYSICAL HAZAR Not classified as a p according to CLP cr HEALTH HAZARDS Not classified as a h criteria. ENVIRONMENTAL Harmful to aquatic li effects.	bhysical hazard iteria. S: health hazard under CLP HAZARDS:
Precautionary statements	 Prevention: P273 Response: Storage: Disposal: P501 	Avoid release to the No precautionary pl No precautionary pl Dispose of contents approved waste disp	nrases. nrases. / container to an
Sensitising components	: Contains alkyla	amine.	

Sensitising components : Contains alkylamine. Contains thiadiazole derivative. May produce an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	: * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375-

Revision Date 01.04.2015

Print Date 14.04.2015

34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69-9 (01-0000020163-82).

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Alkyl dithiophosphate		Xi-N; R36- R50/53	Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	0.25 - 2.4
Alkyl phosphonate		Xi-N; R38-R41- R51/53	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	0.25 - 2.4
Alkyl amine	68955-53-3 273-279-1	T-C-N; R22- R23/24-R34- R43-R48/20- R50/53	Acute Tox.4; H302 Acute Tox.3; H311 Acute Tox.3; H311 Skin Corr.1B; H314 Skin Sens.1; H317 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	0.1 - 0.99
Alkyl thiadiazole	73984-93-7	Xi; R43	Skin Sens.1; H317	0.1 - 0.99
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *			Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Not expected to be a health hazard when used und conditions.	er normal
Protection of first-aiders	When administering first aid, ensure that you are w appropriate personal protective equipment accordir incident, injury and surroundings.	

Version 2.1		Revision Date 01.04.2015	Print Date 14.04.2015
If inhaled	:	No treatment necessary under normal cor If symptoms persist, obtain medical advice	
In case of skin contact	:	Remove contaminated clothing. Flush exp water and follow by washing with soap if a If persistent irritation occurs, obtain medic	vailable.
In case of eye contact	:	Flush eye with copious quantities of water If persistent irritation occurs, obtain medic	
If swallowed	:	In general no treatment is necessary unlear are swallowed, however, get medical advi	
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	:	Oil acne/folliculitis signs and symptoms m of black pustules and spots on the skin of Ingestion may result in nausea, vomiting a	exposed areas.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Notes to doctor/physician:
	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media		Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only. Do not use water in a jet.
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during firefighting		Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters		·
Special protective equipment for firefighters		Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Version 2.1

Revision Date 01.04.2015

Print Date 14.04.2015

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	 Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used.
- /	

Version 2.1		Revision Date 01.04.2015	Print Date 14.04.2015
		Properly dispose of any contaminated rags materials in order to prevent fires.	s or cleaning
Product Transfer	:	This material has the potential to be a stat Proper grounding and bonding procedures during all bulk transfer operations.	
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities	
Other data	:	Keep container tightly closed and in a cool place. Use properly labeled and closable of	
		Store at ambient temperature.	
		Refer to section 15 for any additional spec covering the packaging and storage of this	
		The storage of this product may be subject Pollution (Oil Storage) (England) Regulation guidance may be obtained from the local en agency office.	ons. Further
Packaging material	:	Suitable material: For containers or contain steel or high density polyethylene. Unsuitable material: PVC.	ner linings, use mild
Container Advice	:	Polyethylene containers should not be exp temperatures because of possible risk of c	
7.3 Specific end use(s)			
Specific use(s)	:	Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Version 2.1

Revision Date 01.04.2015

Print Date 14.04.2015

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measures The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection

: If material is handled such that it could be splashed into eyes,

Version 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
	protective eyewear is recommended. Approved to EU Standard EN166.	
Hand protection		
Remarks	: Where hand contact with the product gloves approved to relevant standards US: F739) made from the following m suitable chemical protection. PVC, ne gloves Suitability and durability of a gl usage, e.g. frequency and duration of resistance of glove material, dexterity from glove suppliers. Contaminated g replaced. Personal hygiene is a key e care. Gloves must only be worn on cle gloves, hands should be washed and Application of a non-perfumed moistu	s (e.g. Europe: EN374, aterials may provide oprene or nitrile rubber love is dependent on contact, chemical . Always seek advice loves should be lement of effective hand ean hands. After using dried thoroughly.
	For continuous contact we recomment breakthrough time of more than 240 m for > 480 minutes where suitable glov short-term/splash protection we recom- recognize that suitable gloves offering may not be available and in this case time maybe acceptable so long as ap and replacement regimes are followed a good predictor of glove resistance to dependent on the exact composition of Glove thickness should be typically gr depending on the glove make and mo	ad gloves with ninutes with preference res can be identified. For nmend the same, but g this level of protection a lower breakthrough propriate maintenance d. Glove thickness is not o a chemical as it is of the glove material. reater than 0.35 mm
Skin and body protection	: Skin protection is not ordinarily require work clothes. It is good practice to wear chemical re	-
Respiratory protection	: No respiratory protection is ordinarily conditions of use. In accordance with good industrial hyperecautions should be taken to avoid If engineering controls do not maintain concentrations to a level which is ade health, select respiratory protection en- specific conditions of use and meeting Check with respiratory protective equi Where air-filtering respirators are suita appropriate combination of mask and Select a filter suitable for combined pa- and vapors [Type A/Type P boiling po- meeting EN14387 and EN143.	giene practices, breathing of material. n airborne quate to protect worker quipment suitable for the g relevant legislation. ipment suppliers. able, select an filter. articulate/organic gases

Version 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
Thermal hazards	: Not applicable	
Hygiene measures	: Exposure to this product should be reduce reasonably practicable. Reference should Health and Safety Executive's publication ' Essentials".	be made to the
Environmental exposure cont	rols	
General advice	: Take appropriate measures to fulfill the recorrelevant environmental protection legislatic contamination of the environment by follow. Chapter 6. If necessary, prevent undissolve being discharged to waste water. Waste waster at a municipal or industrial waste waster discharge to surface water. Local guidelines on emission limits for vola must be observed for the discharge of exhibition vapour.	on. Avoid ving advice given in ved material from ater should be vater treatment plant stile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: amber
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -42 °CMethod: ISO 3016
Initial boiling point and boiling range	: > 280 °Cestimated value(s)
Flash point	: 215 °C Method: ISO 2592
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)

Version 2.1		Revision Date 01.04.2015	Print Date 14.04.2015
Vapour pressure	:	< 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0.847 (15 °C)	
Density	:	847 kg/m3 (15.0 °C) Method: ASTM D1298	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	Pow: > 6(based on information on simil	ar products)
Auto-ignition temperature	:	> 320 °C	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic	:	96 mm2/s (40.0 °C) Method: ASTM D445	
		14.6 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	:	Not classified	
Oxidizing properties	:	Data not available	
9.2 Other information			
Conductivity	:	This material is not expected to be a st	atic accumulator.
Decomposition temperature	:	Data not available	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

10/20

SAFETY DATA SHEET Regulation 1907/2006/EC

Shell Transmission Oil MA 75W-90

Version 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
No hazardous reaction is exp	pected when handled and stored according to	o provisions
10.3 Possibility of hazardous re	actions	
Hazardous reactions	: Reacts with strong oxidising agents.	
10.4 Conditions to avoid		
Conditions to avoid	: Extremes of temperature and direct su	nlight.
10.5 Incompatible materials		
Materials to avoid	: Strong oxidising agents.	
10.6 Hazardous decomposition	products	
Hazardous decomposition products	: Hazardous decomposition products are during normal storage.	e not expected to form

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute inhalation toxicity	:	Remarks: Not considered to be an inhalation hazard under normal conditions of use.
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxicity:

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

1	1	/	20
1	1	/	20

Revision Date 01.04.2015

Print Date 14.04.2015

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Components:

Alkyl amine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Alkyl thiadiazole:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

12 / 20

Revision Date 01.04.2015

Print Date 14.04.2015

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	•	This product does not meet the criteria for classification in categories 1A/1B.

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	: Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute	: Remarks: Expected to be harmful:

Revision Date 01.04.2015	Print Date 14.04.2015
LL/EL/IL50 10-100 mg/l	
: Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l	
: Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l	
: Remarks: Data not available	
: Remarks: Data not available	
: Remarks: Data not available	
: 1	
ŧy	
: Remarks: Expected to be not readily be constituents are expected to be inhere contains components that may persist	ently biodegradable, but
: Remarks: Contains components with t bioaccumulate.	the potential to
: Pow: > 6Remarks: (based on informat	tion on similar products)
: Remarks: Liquid under most environm enters soil, it will adsorb to soil particle mobile. Remarks: Floats on water.	
sessment	
	LL/EL/IL50 10-100 mg/l Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l Remarks: Data not available Remarks: Expected to be not readily be constituents are expected to be inhered contains components that may persist Remarks: Contains components with the bioaccumulate. Pow: > 6Remarks: (based on information Remarks: Floats on water.

12.6 Other adverse effects

Version 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
Product:		
Additional ecological information	 Product is a mixture of non-volatile expected to be released to air in an Not expected to have ozone depleti photochemical ozone creation poten potential. Poorly soluble mixture., May cause organisms. 	y significant quantities., ion potential, ntial or global warming

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
: EU Waste Disposal Code (EWC):
: 13 02 06*
 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Classification of waste is always the responsibility of the end user. Hazardous Waste (England and Wales) Regulations 2005.

Version 2.1

Revision Date 01.04.2015

Print Date 14.04.2015

SECTION 14: Transport information

14.1 UN number		
ADR		Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA		Not regulated as a dangerous good
14.2 Proper shipping name	•	
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class		
ADR		Not regulated as a dangerous good
RID		Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR		Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.5 Environmental hazards		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
14.6 Special precautions for user		
Remarks	:	Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.
14.7 Transport in bulk according t	0	Annex II of MARPOL 73/78 and the IBC Code
Pollution category	:	Not applicable
Ship type		Not applicable
Product name		Not applicable
Special precautions		Not applicable
Additional Information	:	MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substanc	e or mixture;
---	---------------

REACH - List of substances subject to authorisation (Annex XIV) : Product is not subject to Authorisation under REACH.

Version 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
Volatile organic compounds	: 0%	
Other regulations	: Environmental Protection Act 1990 (a Safety at Work etc. Act 1974. Consum Pollution Prevention and Control Act 7 1995. Factories Act 1961. The Carriag and Use of Transportable Pressure E Regulations 2011. Chemicals (Hazaro Packaging for Supply) Regulations 20 Substances Hazardous to Health Reg amended). Merchant Shipping (Dange Pollutants) Regulations 1997. Reporti and Dangerous Occurrences Regulat Personal Protective Equipment Regul Protective Equipment at Work Regulat Waste (England and Wales) Regulation Control of Major Accident Hazards Re amended). Renewable Transport Fue (as amended). Energy Act 2011. Envi (England and Wales) Regulations 201 (England and Wales) Regulations 201 Planning (Hazardous Substances) Ac regulations. The Environmental Protec Ozone-Depleting Substances) Regulation	ners Protection Act 1987. 1999. Environment Act ge of Dangerous Goods quipment (Amendment) d Information and 009. Control of gulations 2002 (as erous Goods and Marine ng of Injuries, Diseases ions 1995 (as amended). lations 2002. Personal ations 1992. Hazardous ons 2005(as amended). egulations 1999 (as el Obligations Order 2007 ironmental Permitting 10 (as amended). Waste 11 (as amended). t 1990 and associated ction (Controls on

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

	EC) No 1272/2008 oxicity, Category 3,	Classification procedure: Expert judgement and weight of evidence determination.
Full text of R-Ph	irases	
R22	Harmful if swallo	wed.
R23/24	Toxic by inhalation	on and in contact with skin.
R34	Causes burns.	
R36	Irritating to eyes.	
R38	Irritating to skin.	
R41	Risk of serious d	amage to eyes.
R43		tisation by skin contact.
R48/20		of serious damage to health by prolonged exposure

17 / 20

Regulation 1907/2006/EC Shell Transmission Oil MA 75W-90

ersion 2.1	Revision Date 01.04.2015	Print Date 14.04.201		
	through inhalation.			
R50/53	Very toxic to aquatic organisms, may cau	se long-term adverse effects in		
100/00	the aquatic environment.			
R51/53	Toxic to aquatic organisms, may cause lo	ng-term adverse effects in the		
	aquatic environment.			
Full text of H-Staten	pents			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airw	2//5		
H311	Toxic in contact with skin.	ays.		
H314	Causes severe skin burns and eye dama	ne		
H315	Causes skin irritation.	ge.		
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H373	May cause damage to organs through pro	olonged or repeated exposure		
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting	effects.		
H411	Toxic to aquatic life with long lasting effect			
Full text of other ab				
Acute Tox.	Acute toxicity			
Aquatic Acute	Acute aquatic toxicity			
Aquatic Chronic	Chronic aquatic toxicity			
Asp. Tox.	Aspiration hazard			
Eye Dam.	Serious eye damage			
Eye Irrit.	Eye irritation			
Skin Corr.	Skin corrosion			
Skin Irrit.	Skin irritation Skin sensitisation			
Skin Sens. STOT RE	Specific target organ toxicity - repeated e	VEQUIP		
Abbreviations and Ac	document can be looked up in r			
	scientific dictionaries) and/or we	ebsiles.		
	ACGIH = American Conference	of Governmental Industrial		
	Hygienists			
	ADR = European Agreement co			
	Carriage of Dangerous Goods b			
	AICS = Australian Inventory of (
	ASTM = American Society for T			
	BEL = Biological exposure limits			
	BTEX = Benzene, Toluene, Eth			
	CAS = Chemical Abstracts Serv			
	CEFIC = European Chemical In			
	CLP = Classification Packaging	and Labelling		
	COC = Cleveland Open-Cup			
	DIN = Deutsches Institut fur Nor			
	DMEL = Derived Minimal Effect			
	DNEL = Derived No Effect Leve			
	DSL = Canada Domestic Subst			
	EC = European Commission			

Regulation 1907/2006/EC Shell Transmission Oil MA 75W-90

sion 2.1	Revision Date 01.04.2015	Print Date 14.04.2015
	EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals ECHA = European Chemicals Agency	
	EINECS = The European Inventory of Existing Commercial	
	Chemical Substances	
	EL50 = Effective Loading fifty	
	ENCS = Japanese Existing and Net	w Chemical Substances
	Inventory	
	EWC = European Waste Code	
	GHS = Globally Harmonised Syster	m of Classification and
	Labelling of Chemicals	
	IARC = International Agency for Re	
	IATA = International Air Transport A	
	IC50 = Inhibitory Concentration fifty	1
	IL50 = Inhibitory Level fifty	
	IMDG = International Maritime Dang	
	INV = Chinese Chemicals Inventory	
	IP346 = Institute of Petroleum test	
	determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory	
	LC50 = Lethal Concentration fifty	
	LD50 = Lethal Dose fifty per cent.	
	LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading	
	LL50 = Lethal Loading fifty	
	MARPOL = International Conventio	on for the Prevention of
	Pollution From Ships	
	NOEC/NOEL = No Observed Effect	t Concentration / No
	Observed Effect Level	
	OE_HPV = Occupational Exposure	 High Production Volume
	PBT = Persistent, Bioaccumulative	
	PICCS = Philippine Inventory of Ch	emicals and Chemical
	Substances	
	PNEC = Predicted No Effect Conce	
	REACH = Registration Evaluation A	And Authorisation Of
	Chemicals	
	RID = Regulations Relating to Intern	national Carriage of
	Dangerous Goods by Rail	
	SKIN_DES = Skin Designation	
	STEL = Short term exposure limit TRA = Targeted Risk Assessment	
	TSCA = US Toxic Substances Cont	trol Act
	TWA = Time-Weighted Average	
	vPvB = very Persistent and very Bio	paccumulative
Further information		
Other information	: No Exposure Scenario annex is atta	
	sheet. It is a non-classified mixture	
	substances as detailed in Section 3	
	Exposure Scenarios for the hazardo	
	have been integrated into the core	sections 1-16 of this SDS.

SAFETY DATA SHEET Regulation 1907/2006/EC Shell Transmission Oil MA 75W-90

Version 2.1

Revision Date 01.04.2015

Print Date 14.04.2015

A vertical bar (|) in the left margin indicates an amendment from the previous version.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.